



WINATTACHMENTS

EXCAVATOR ATTACHMENTS CATALOGUE

CUSTOMISE YOUR

GENERAL PURPOSE BUCKETS

PAGE 4-12



SKELETON BUCKETS

PAGE 13-20



DITCH BUCKETS

PAGE 38-40



HIGH-CAPACITY TRENCH BUCKETS

PAGE 41-42



THUMBS

PAGE 67-79



COMPACTION WHEELS

PAGE 80-87



BUILD

TRIM/MUD BUCKETS

PAGE 21-29



TILT BUCKETS

PAGE 30-37



FIVE-FINGER GRAPPLES

PAGE 43-57



RIPPERS

PAGE 58-66



ROCK BREAKER

PAGE 88-89



- **FOR MINI EXCAVATOR**
0.8-2TON 3-4TON 5-6TON 8-10TON
- **FOR MEDIUM EXCAVATOR**
12-16TON 20-23TON
- **FOR LARGE EXCAVATOR**
24-36TON 37- ABOVE

GENERAL PURPOSE BUCKETS



Our general purpose buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, wear plates.

WINATTACHMENTS





1.8TON

BUCKETS

1.8 TON STOCKED PICKUP OPTIONS

(mm)	30	30	30	30	30	30
BETWEEN THE EARS(mm)	106	95	108	111	120	116
PIN CENTRES (mm)	105	85	123	135	120	124



Our general purpose mini range of buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, wear plates.

Sizes Available

150mm	G/P BUCKET	450mm	G/P BUCKET
200mm	G/P BUCKET	600mm	G/P BUCKET
300mm	G/P BUCKET		





3-4TON

BUCKETS

3-4TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

We also stock step pins 40-35mm



Our general purpose 3 to 4 Ton range of buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, 5KC3Teeth, wear plates and side cutters.

Sizes Available

200mm	G/P BUCKET	450mm	G/P BUCKET
250mm	G/P BUCKET	600mm	G/P BUCKET
300mm	G/P BUCKET		





5-6TON

BUCKETS

5-6 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	45	45	45
BETWEEN THE EARS (mm)	160	160	160
PIN CENTRES (mm)	230	245	260



Our general purpose 5-6 Ton range of buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, CAT teeth, wear plates and side cutters.

Sizes Available

200mm	G/P BUCKET	450mm	G/P BUCKET
250mm	G/P BUCKET	600mm	G/P BUCKET
300mm	G/P BUCKET	750mm	G/P BUCKET





8TON

BUCKETS

8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	50	60
BETWEEN THE EARS (mm)	200	200
PIN CENTRES (mm)	310	300

We also stock step pins 60-50mm



Our general purpose 8 Ton range of buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, CAT teeth, wear plates and side cutters.

Sizes Available

300mm	G/P BUCKET	600mm	G/P BUCKET
450mm	G/P BUCKET	900mm	G/P BUCKET





12-14TON

BUCKETS

12-14 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	65
BETWEEN THE EARS (mm)	260
PIN CENTRES (mm)	400

We also stock step pins 65-60mm



Our general purpose 12-14 Ton range of buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, CAT teeth, wear plates and side cutters.

Sizes Available

300mm	G/P BUCKET	600mm	G/P BUCKET
450mm	G/P BUCKET	900mm	G/P BUCKET





20-23TON

BUCKETS

20-23 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	80
BETWEEN THE EARS (mm)	330
PIN CENTRES (mm)	470

We also stock step pins 80-70mm



Our general purpose 20-23ton range of buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, Esco teeth, wear plates and side cutters.

Sizes Available

300mm	G/P BUCKET	900mm	G/P BUCKET
450mm	G/P BUCKET	1200mm	G/P BUCKET
600mm	G/P BUCKET		





24-30TON

BUCKETS

24-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm



Our general purpose 24-30ton range of buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, Esco teeth, wear plates and side cutters.

Sizes Available

600mm	G/P BUCKET	1200mm	G/P BUCKET
900mm	G/P BUCKET	1500mm	G/P BUCKET



33-36TON



**37 TON AND ABOVE
AVAILABLE ON REQUEST**

BUCKETS

33-36 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	100
BETWEEN THE EARS (mm)	430
PIN CENTRES (mm)	585

We also stock step pins 100-90mm



Our general purpose 33-36ton range of buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The general purpose bucket range boasts hardened pins, Esco teeth, wear plates and side cutters

Sizes Available

600mm	G/P BUCKET	1200mm	G/P BUCKET
900mm	G/P BUCKET	1600mm	G/P BUCKET



SKELETON BUCKETS

Our skeleton buckets are designed to meet the highest industry standards, with heavy-duty steel construction and a bolt-on cutting edge. Our skilled engineers can customise your skeleton bucket to your specifications should you have a special need.

WIN ATTACHMENTS



1.8TON



SKELETON BUCKETS

1.8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	30	30	30	30	30	30
BETWEEN THE EARS(mm)	106	95	108	111	120	116
PIN CENTRES(mm)	105	85	123	135	120	124



Our 900mm wide mini range skeleton buckets are designed to meet the highest industry standards, with heavy-duty steel construction and a bolt-on cutting edge. We run 50mm wide gaps as standard.

Our skilled engineers can customise your skeleton bucket to your specifications should you have a special need.

Sizes Available

900mm

3-4TON





SKELETON BUCKETS

3-4 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

We also stock step pins 40-35mm



Our 1100mm wide mini range skeleton buckets are designed to meet the highest industry standards, with heavy-duty steel construction and a bolt-on cutting edge. We run 50mm wide gaps as standard.

Our skilled engineers can customise your skeleton bucket to your specifications should you have a special need.

Sizes Available

1100mm



5-6TON



SKELETON BUCKETS

5-6 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	45	45	45
BETWEEN THE EARS (mm)	160	160	160
PIN CENTRES (mm)	230	245	260



Our 1200mm wide 5-6 Ton range of skeleton buckets are designed to meet the highest industry standards, with heavy-duty steel construction and a bolt-on cutting edge. We run 50mm wide gaps as standard with either a Bolt on Edge or Teeth.

Our skilled engineers can customise your skeleton bucket to your specifications should you have a special need.

Sizes Available

1200mm

8TON





SKELETON BUCKETS

8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	50	60
BETWEEN THE EARS (mm)	200	200
PIN CENTRES (mm)	310	300

We also stock step pins 60-50mm



Our 1400mm wide 8 Ton range of skeleton buckets are designed to meet the highest industry standards, with heavy-duty steel construction and a bolt-on cutting edge. We run 50mm wide gaps as standard with either a Bolt on Edge or Teeth.

Our skilled engineers can customise your skeleton bucket to your specifications should you have a special need.

Sizes Available

1400mm

12-14TON





SKELETON BUCKETS

12-14 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	65
BETWEEN THE EARS (mm)	260
PIN CENTRES (mm)	400

We also stock step pins 65-60mm



Our 1500mm wide 12-14 ton range of skeleton buckets are designed to meet the highest industry standards, with heavy-duty steel construction and a bolt-on cutting edge. We run 50mm wide gaps as standard with either a Bolt on Edge or Teeth.

Our skilled engineers can customise your skeleton bucket to your specifications should you have a special need.

Sizes Available

1500mm

20-23TON





Optional Teeth or Bolt on edge

SKELETON BUCKETS

20-23 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	80
BETWEEN THE EARS (mm)	330
PIN CENTRES (mm)	470

We also stock step pins 80-70mm



Our 1800mm wide 20-23 ton range of skeleton buckets are designed to meet the highest industry standards, with heavy-duty steel construction and a bolt-on cutting edge. We run 70mm wide gaps as standard with either a Bolt on Edge or Teeth.

Our skilled engineers can customise your skeleton bucket to your specifications should you have a special need.

Sizes Available

1800mm

24-30TON





Optional Teeth or Bolt on edge

SKELETON BUCKETS

24-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm




Our 2000mm wide 24-30 ton range of skeleton buckets are designed to meet the highest industry standards, with heavy-duty steel construction and a bolt-on cutting edge. We run 70mm wide gaps as standard with either a Bolt on Edge or Teeth.

Our skilled engineers can customise your skeleton bucket to your specifications should you have a special need.

Sizes Available

2000mm



TRIM / MUD BUCKETS ▶

Our Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard.

WINATTACHMENTS





1.8TON

TRIM/MUD BUCKETS

1.8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	30	30	30	30	30	30
BETWEEN THE EARS (mm)	106	95	108	111	120	116
PIN CENTRES (mm)	105	85	123	135	120	124



Our mini range of Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard

Sizes Available

900mm / 1000mm

3-4TON





TRIM/MUD BUCKETS

3-4 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

We also stock step pins 40-35mm



Our 3-4 Ton range of Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The Trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard.

Sizes Available

1200mm





5-6TON

TRIM/MUD BUCKETS

5-6 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	45	45	45
BETWEEN THE EARS (mm)	160	160	160
PIN CENTRES (mm)	230	230	230



Our 1200mm 5-6 Ton range of Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The Trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard.

Sizes Available

1200mm

8TON





TRIM/MUD BUCKETS

8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	50	60
BETWEEN THE EARS (mm)	200	200
PIN CENTRES (mm)	310	300

We also stock step pins 60-50mm



Our 1200mm 8 Ton range of Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The Trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard

Sizes Available

1500mm

12-14TON





TRIM/MUD BUCKETS

12-14 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	65
BETWEEN THE EARS (mm)	260
PIN CENTRES (mm)	400

We also stock step pins 65-60mm



Our 12-14 Ton range of Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The Trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard

Sizes Available

1500mm / 1600mm, 1800mm on request

20-23TON





TRIM/MUD BUCKETS

20-23 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	80
BETWEEN THE EARS (mm)	330
PIN CENTRES (mm)	470

We also stock step pins 80-70mm



Our 20-23 ton range of Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The Trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard

Sizes Available

1800mm / 2000mm

24-30TON





TRIM/MUD BUCKETS

24-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm



Our 24-30 ton range of Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The Trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard

Sizes Available

2000mm / 2100mm on request

30-36TON





**37 TON AND ABOVE
AVAILABLE ON REQUEST**

TRIM/MUD BUCKETS

30-36 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	100
BETWEEN THE EARS (mm)	430
PIN CENTRES (mm)	585

We also stock step pins 100-90mm



Our 30-36 ton range of Trim/Mud buckets, using high-strength and wear-resistant steel, are designed to be high-performing and long-lasting. The Trim/mud bucket range boasts hardened pins, wear plates and a Bolt on Cutting edge as standard

Sizes Available

2100mm



WIN ATTACHMENTS

TILT BUCKETS



Our Tilt buckets have a tilt angle of up to 45%, heavy-duty construction, Double cylinder, bolt on edge, hoses and couplings as standard.





1.8TON

TILT BUCKETS

1.8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	30	30	30	30	30	30
BETWEEN THE EARS (mm)	106	95	108	111	120	116
PIN CENTRES (mm)	105	85	123	135	120	124



Our 900mm wide Mini Tilt buckets have a tilt angle of up to 45%, heavy-duty construction, single cylinder, bolt on edge, hoses and couplings as standard.

Sizes Available

900mm





3-4TON

TILT BUCKETS

3-4 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

We also stock step pins 40-35mm



Our 1100mm wide 3-4 Ton Tilt buckets have a tilt angle of up to 45%, heavy-duty construction, single cylinder, bolt on edge, hoses and couplings as standard.

Sizes Available

1100mm





5-6TON

TILT BUCKETS

5-6 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	45	45	45
BETWEEN THE EARS (mm)	160	160	160
PIN CENTRES (mm)	230	245	260



Our 1200mm wide 5-6 Ton Tilt buckets have a tilt angle of up to 45%, heavy-duty construction, Double cylinder, bolt on edge, hoses and couplings as standard.

Sizes Available

1200mm





8TON

TILT BUCKETS

8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	50	60
BETWEEN THE EARS (mm)	200	200
PIN CENTRES (mm)	310	300

We also stock step pins 60-50mm



Our 1200mm wide 8 Ton Tilt buckets have a tilt angle of up to 45%, heavy-duty construction, Double cylinder, bolt on edge, hoses and couplings as standard.

Sizes Available

1200mm





12-14TON

TILT BUCKETS

12-14 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	65
BETWEEN THE EARS (mm)	260
PIN CENTRES (mm)	400

We also stock step pins 65-60mm



Our 1500mm wide 12-14Ton Tilt buckets have a tilt angle of up to 45%, heavy-duty construction, Double cylinder, bolt on edge, hoses and couplings as standard.

Sizes Available

1500mm





20-23TON

TILT BUCKETS

20-23 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	80
BETWEEN THE EARS (mm)	330
PIN CENTRES (mm)	470

We also stock step pins 80-70mm



Our 1800mm wide 20-23Ton Tilt buckets have a tilt angle of up to 45%, heavy-duty construction, Double cylinder, bolt on edge, hoses and couplings as standard.

Sizes Available

1800mm



24-30TON



**33 TON AND ABOVE
AVAILABLE ON REQUEST**

TILT BUCKETS

24-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm



Our 2000mm wide 24-30Ton Tilt buckets have a tilt angle of up to 45%, heavy-duty construction, Double cylinder, bolt on edge, hoses and couplings as standard.

Sizes Available

2000mm

DITCH/TRENCH BUCKETS ▶

Our ditch bucket are essential for digging trenches, ditches, and other narrow holes. Made from high-strength, heavy-duty, and high wear-resistant steel and a bolt-on edge.

WINATTACHMENTS





1.8TON

DITCH BUCKETS

1.8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	30	30	30	30	30	30
BETWEEN THE EARS (mm)	106	95	108	111	120	116
PIN CENTRES (mm)	105	85	123	135	120	124



Our range of mini ditch bucket are essential for digging trenches, ditches, and other narrow holes. Made from high-strength, heavy-duty, and high wear-resistant steel and a bolt-on edge.

Sizes Available

150mm / 200mm / 300mm
(Cutting Edge)





3-4TON

DITCH BUCKETS

3-4 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

We also stock step pins 40-35mm



Our 3-4 Ton range of Ditch buckets are essential for digging trenches, ditches, and other narrow holes. Made from high-strength, heavy-duty, and high wear-resistant steel and a bolt-on edge.

Sizes Available

200mm / 300mm / 450mm / 600mm
(Cutting Edge)




24-30TON

SPECIAL HIGH CAPACITY TRENCH BUCKET

24-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm



Our general purpose 24-30ton High Capacity bucket. Using high-strength and wear-resistant steel, designed to be high-performing and long-lasting. Has hardened pins, Esco teeth, wear plates and side cutters.

Sizes Available

600mm



33-36TON


SPECIAL
HIGH CAPACITY
TRENCH BUCKET

37 TON AND ABOVE
AVAILABLE ON REQUEST

33-36 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	100
BETWEEN THE EARS (mm)	430
PIN CENTRES (mm)	585

We also stock step pins 100-90mm



Our general purpose 33-36ton High Capacity bucket. Using high-strength and wear-resistant steel, designed to be high-performing and long-lasting. Has hardened pins, Esco teeth, wear plates and side cutters.

Sizes Available 600mm

FIVE-FINGER GRAPPLES



Our five-finger mechanical excavator grapples are designed to offer maximum strength, efficiency and durability. Our grabs are built from high-strength steel and feature hardened pins and Hardox® tips for heavy duty performance.



WINATTACHMENTS





1.8TON

HYDRAULIC

GRAPPLES

1.8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	30	30
BETWEEN THE EARS (mm)	110	120
PIN CENTRES (mm)	130	120



Our five-finger grapples are built from high-strength, heavy-duty steel with Hardox® tips and feature hardened pins that significantly assist in the grabbing stability of the product. The hydraulic excavator grapple features two heavy-duty and fully-protected cylinders to give you more power where needed.

Jaws open out to 470mm and close into 95mm





1.8TON

MECHANICAL

GRAPPLES

1.8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	30	30
BETWEEN THE EARS (mm)	110	120
PIN CENTRES (mm)	130	120



Our five-finger mechanical excavator grapples are designed to offer maximum strength, efficiency and durability. Our grabs are built from high-strength steel and feature hardened pins and Hardox® tips for heavy duty performance.

Jaws close into 95mm



3-4TON



HYDRAULIC

GRAPPLES

3-4 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

40 - 35mm Step Pins Available.



Our 3-4ton five-finger grapples are built from high-strength, heavy-duty steel with Hardox® tips and feature hardened pins that significantly assist in the grabbing stability of the product. The hydraulic excavator grapple features two heavy-duty and fully-protected cylinders to give you more power where needed.

Jaws open out to 598mm and close into 95mm



3-4TON



MECHANICAL

GRAPPLES

3-4 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

40 - 35mm Step Pins Available.



Our 3-4ton five-finger mechanical excavator grapples are designed to offer maximum strength, efficiency and durability. Our grabs are built from high-strength steel and feature hardened pins and Hardox® tips for heavy duty performance.

Jaws close into 95mm





5-6TON

HYDRAULIC

GRAPPLES

5-6 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	45	45	45
BETWEEN THE EARS (mm)	160	160	160
PIN CENTRES (mm)	230	245	260



ur five-finger grapples are built from high-strength, heavy-duty steel with Hardox® tips and feature hardened pins that significantly assist in the grabbing stability of the product. The hydraulic excavator grapple features two heavy-duty and fully-protected cylinders to give you more power where needed.

Jaws open out to 748mm and close into 138mm





5-6TON

MECHANICAL

GRAPPLES

5-6 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	45	45	45
BETWEEN THE EARS (mm)	160	160	160
PIN CENTRES (mm)	230	245	260



Our five-finger mechanical excavator grapples are designed to offer maximum strength, efficiency and durability. Our grabs are built from high-strength steel and feature hardened pins and Hardox® tips for heavy duty performance.

Jaws close into 125mm



8TON



HYDRAULIC

GRAPPLES

8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	50	60
BETWEEN THE EARS (mm)	200	200
PIN CENTRES (mm)	310	300

We also stock step pins 60-50mm



Our five-finger grapples are built from high-strength, heavy-duty steel with Hardox® tips and feature hardened pins that significantly assist in the grabbing stability of the product. The hydraulic excavator grapple features two heavy-duty and fully-protected cylinders to give you more power where needed.

Jaws open out to 832mm and closes into 150mm



8TON



MECHANICAL

GRAPPLES

8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	50	60
BETWEEN THE EARS (mm)	200	200
PIN CENTRES (mm)	310	300

We also stock step pins 60-50mm



Our five-finger mechanical excavator grapples are designed to offer maximum strength, efficiency and durability. Our grabs are built from high-strength steel and feature hardened pins and Hardox® tips for heavy duty performance.

Jaws close into 160mm



12-14TON



HYDRAULIC

GRAPPLES

12-14 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	65
BETWEEN THE EARS (mm)	260
PIN CENTRES (mm)	400

We also stock step pins 65-60mm



Our five-finger grapples are built from high-strength, heavy-duty steel with Hardox® tips and feature hardened pins that significantly assist in the grabbing stability of the product. The hydraulic excavator grapple features two heavy-duty and fully-protected cylinders to give you more power where needed.

Jaws open out to 1034mm and closes into 180mm



12-14TON



MECHANICAL

GRAPPLES

12-14 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	65
BETWEEN THE EARS (mm)	260
PIN CENTRES (mm)	400

We also stock step pins 65-60mm



Our five-finger mechanical excavator grapples are designed to offer maximum strength, efficiency and durability. Our grabs are built from high-strength steel and feature hardened pins and Hardox® tips for heavy duty performance.

Jaws close into 190mm



20-23TON



HYDRAULIC

GRAPPLES

20-23 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	80
BETWEEN THE EARS (mm)	330
PIN CENTRES (mm)	470

We also stock step pins 80-70mm



Our five-finger grapples are built from high-strength, heavy-duty steel with Hardox® tips and feature hardened pins that significantly assist in the grabbing stability of the product. The hydraulic excavator grapple features two heavy-duty and fully-protected cylinders to give you more power where needed.

Jaws open out to 1280mm into 180mm



20-23TON



MECHANICAL

GRAPPLES

20-23 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	80
BETWEEN THE EARS (mm)	330
PIN CENTRES (mm)	470

We also stock step pins 80-70mm



Our five-finger mechanical excavator grapples are designed to offer maximum strength, efficiency and durability. Our grabs are built from high-strength steel and feature hardened pins and Hardox® tips for heavy duty performance.

Jaws close into 250mm



24-30TON

HYDRAULIC



33 TON AND ABOVE
AVAILABLE ON REQUEST

GRAPPLES

24-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm



Our five-finger grapples are built from high-strength, heavy-duty steel with Hardox® tips and feature hardened pins that significantly assist in the grabbing stability of the product. The hydraulic excavator grapple features two heavy-duty and fully-protected cylinders to give you more power where needed.

Jaws open out to 1453mm into 180mm width is 1010mm



24-30TON

MECHANICAL



**33 TON AND ABOVE
AVAILABLE ON REQUEST**

GRAPPLES

24-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm



Our five-finger grapples are built from high-strength, heavy-duty steel with Hardox® tips and feature hardened pins that significantly assist in the grabbing stability of the product. The hydraulic excavator grapple features two heavy-duty and fully-protected cylinders to give you more power where needed.

Jaws close into 250mm

RIPPERS

Our rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel and supplied with a tiger tip.

WINATTACHMENTS





1.8TON

RIPPERS

1.8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	30	30	30	30	30	30
BETWEEN THE EARS (mm)	106	95	108	111	120	116
PIN CENTRES (mm)	105	85	123	135	120	124



Our Mini excavator rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel and a supplied with a tiger tip.





3-4TON

RIPPERS

3-4 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

We also stock step pins 40-35mm



Our 3-4 Ton excavator rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel and a supplied with a tiger tip.





5-6TON

RIPPERS

5-6 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	45	45	45
BETWEEN THE EARS (mm)	160	160	160
PIN CENTRES (mm)	230	245	260



Our 5-6 Ton excavator rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel and a supplied with a tiger tip.





8TON

RIPPERS

8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	50	60
BETWEEN THE EARS (mm)	200	200
PIN CENTRES (mm)	310	300

We also stock step pins 60-50mm



Our 8 Ton excavator rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel and a supplied with a tiger tip.





12-14TON

RIPPERS

12-14 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	65
BETWEEN THE EARS (mm)	260
PIN CENTRES (mm)	400

We also stock step pins 65-60mm



Our 12-14 Ton excavator rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel and a supplied with a tiger tip.





20-23TON

RIPPERS

20-23 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	80
BETWEEN THE EARS (mm)	330
PIN CENTRES (mm)	470

We also stock step pins80-70mm



Our 20-23 Ton excavator rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel. Has a Shank guard an CAT D9 ripper boot





23-30TON

RIPPERS

23-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm



Our 23-30 Ton excavator rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel. Has a Shank guard an CAT D9 ripper boot.



33-36TON



37 TON AND ABOVE
AVALIABLE ON REQUEST

RIPPERS

33-36 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	100
BETWEEN THE EARS (mm)	430
PIN CENTRES (mm)	585

We also stock step pins 100-90mm



Our 33-36 Ton excavator rippers are designed with efficiency, strength, and safety in mind. Built with high-strength and wear-resistant heavy-duty steel. Has a Shank guard an CAT D9 ripper boot.

THUMBS ▶

Our thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request.

WINATTACHMENTS



1.8TON

HYDRAULIC

THUMBS

1.8 TON STOCKED PICKUP OPTIONS

HYDRAULIC CYLINDER MOUNT BRACKET WIDTH (mm)	110
MOUNTING DISTANCE (mm) from cylinder mount bracket to thumb mount	820

Our mini hydraulic thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips,



1.8TON

MECHANICAL

THUMBS

1.8 TON STOCKED PICKUP OPTIONS

STIFF ARM MOUNT BRACKET WIDTH (mm)	110
MOUNTING DISTANCE (mm) from stiff arm bracket to thumb mount	725

Our Mini mechanical thumbs! Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request.



3-4TON

HYDRAULIC

THUMBS

3-4 TON STOCKED PICKUP OPTIONS

HYDRAULIC CYLINDER MOUNT BRACKET WIDTH (mm)	140
MOUNTING DISTANCE (mm) from cylinder mount bracket to thumb mount	872

Our 3-4 ton hydraulic thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request.



3-4TON

MECHANICAL

THUMBS

3-4 TON STOCKED PICKUP OPTIONS

STIFF ARM MOUNT BRACKET WIDTH (mm)	120
MOUNTING DISTANCE (mm) from stiff arm bracket to thumb mount	744

Our 3-4ton mechanical thumbs! Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request.



5TON


HYDRAULIC

THUMBS

5 TON STOCKED PICKUP OPTIONS

HYDRAULIC CYLINDER MOUNT BRACKET WIDTH (mm)	134
MOUNTING DISTANCE (mm) from cylinder mount bracket to thumb mount	1136

Our 5ton hydraulic thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request.



5TON

MECHANICAL

THUMBS

5 TON STOCKED PICKUP OPTIONS

STIFF ARM MOUNT BRACKET WIDTH (mm)	134
MOUNTING DISTANCE (mm) from stiff arm bracket to thumb mount	876

Our 5ton Mechanical thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request.



8TON

HYDRAULIC

THUMBS

8 TON STOCKED PICKUP OPTIONS

HYDRAULIC CYLINDER MOUNT BRACKET WIDTH (mm)	190
MOUNTING DISTANCE (mm) from cylinder mount bracket to thumb mount	1142

Our 8ton hydraulic thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request. Includes Cylinder and dipper arm mounting bracket



8TON

MECHANICAL

THUMBS

8 TON STOCKED PICKUP OPTIONS

STIFF ARM MOUNT BRACKET WIDTH (mm)	190
MOUNTING DISTANCE (mm) from stiff arm bracket to thumb mount	1296

Our 8ton Mechanical thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request. Unit comes with Stiff arm and dipper arm mounting bracket



12TON

HYDRAULIC

THUMBS

12 TON STOCKED PICKUP OPTIONS

HYDRAULIC CYLINDER MOUNT BRACKET WIDTH (mm)	200
MOUNTING DISTANCE (mm) from cylinder mount bracket to thumb mount	1263

Our 12ton Hydraulic thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request. Unit comes with Stiff arm and dipper arm mounting bracket.



12TON

MECHANICAL

THUMBS

12 TON STOCKED PICKUP OPTIONS

STIFF ARM MOUNT BRACKET WIDTH (mm)	195
MOUNTING DISTANCE (mm) from stiff arm bracket to thumb mount	1220

Our 12ton Mechanical thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request. Unit comes with Stiff arm and dipper arm mounting bracket



20-23TON

HYDRAULIC

THUMBS

20-23 TON STOCKED PICKUP OPTIONS

HYDRAULIC CYLINDER MOUNT BRACKET WIDTH (mm)	229
MOUNTING DISTANCE (mm) from cylinder mount bracket to thumb mount	1437

Our 20-23ton Hydraulic thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request. Unit comes with Stiff arm and dipper arm mounting bracket

Larger sizes and different designs are available on request

20-23TON

MECHANICAL



THUMBS

20-23 TON STOCKED PICKUP OPTIONS

STIFF ARM MOUNT BRACKET WIDTH (mm)	200
MOUNTING DISTANCE (mm) from stiff arm bracket to thumb mount	1390

Our 20-23ton Mechanical thumbs Crafted from hard-wearing steel, our dipper arm-mounted units offer superior strength and durability with hardened pins, Hardox® tips, Need something more specific? We also provide custom sizing on request. Unit comes with Stiff arm and dipper arm mounting bracket

Larger sizes and different designs are available on request

COMPACTION WHEELS ▶

Our compaction wheels will compact soils, asphalt, and sand quickly and effectively. Available in a drum and fingerstyle, our range is compatible with excavators of all makes and models. The heavy-duty construction of our compaction wheels ensures maximum strength and durability for the most demanding projects.

WINATTACHMENTS

3-4TON





COMPACTION WHEELS

3-4 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	40	40
BETWEEN THE EARS (mm)	140	140
PIN CENTRES (mm)	170	200

We also stock step pins 40-35mm



Our 3-4 Ton range of excavator compaction wheels will compact soils, asphalt, and sand quickly and effectively. Available in a drum and fingerstyle, our range is compatible with excavators of all makes and models. The heavy-duty construction of our compaction wheels ensures maximum strength and durability for the most demanding projects.

DRUM WIDTH 300 mm



5-6TON



COMPACTION WHEELS

5-6 TON STOCKED PICKUP OPTIONS


PIN SIZE (mm)	45	45	45
BETWEEN THE EARS (mm)	160	160	160
PIN CENTRES (mm)	230	245	260



Our 5-6 Ton range of excavator compaction wheels will compact soils, asphalt, and sand quickly and effectively. Available in a drum and fingerstyle, our range is compatible with excavators of all makes and models. The heavy-duty construction of our compaction wheels ensures maximum strength and durability for the most demanding projects.

DRUM WIDTH 300 mm

8TON





COMPACTION WHEELS

8 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	50	60
BETWEEN THE EARS (mm)	200	200
PIN CENTRES (mm)	310	300

We also stock step pins 60-50mm



Our 8 Ton range of excavator compaction wheels will compact soils, asphalt, and sand quickly and effectively. Available in a drum and fingerstyle, our range is compatible with excavators of all makes and models. The heavy-duty construction of our compaction wheels ensures maximum strength and durability for the most demanding projects.

DRUM WIDTH 372 mm

12-14TON





COMPACTION WHEELS

12-14 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	65
BETWEEN THE EARS (mm)	260
PIN CENTRES (mm)	400

We also stock step pins 65-60mm



Our 12-14ton range of excavator compaction wheels will compact soils, asphalt, and sand quickly and effectively. Available in a drum and fingerstyle, our range is compatible with excavators of all makes and models. The heavy-duty construction of our compaction wheels ensures maximum strength and durability for the most demanding projects.

DRUM WIDTH 465 mm

20-23TON





COMPACTION WHEELS

20-23 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	80
BETWEEN THE EARS (mm)	330
PIN CENTRES (mm)	470

We also stock step pins 80-70mm



Our 20-23ton range of excavator compaction wheels will compact soils, asphalt, and sand quickly and effectively. Available in a drum and fingerstyle, our range is compatible with excavators of all makes and models. The heavy-duty construction of our compaction wheels ensures maximum strength and durability for the most demanding projects.

DRUM WIDTH 510 mm

24-30TON





COMPACTION WHEELS

24-30 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	90
BETWEEN THE EARS (mm)	410
PIN CENTRES (mm)	500

We also stock step pins 90-80mm



Our 24-30ton range of excavator compaction wheels will compact soils, asphalt, and sand quickly and effectively. Available in a drum and fingerstyle, our range is compatible with excavators of all makes and models. The heavy-duty construction of our compaction wheels ensures maximum strength and durability for the most demanding projects.

DRUM WIDTH 600 mm

33-36TON





**37 TON AND ABOVE
AVAILABLE
ON REQUEST**

COMPACTION WHEELS

33-36 TON STOCKED PICKUP OPTIONS

PIN SIZE (mm)	100
BETWEEN THE EARS (mm)	430
PIN CENTRES (mm)	585

We also stock step pins 100-90mm



Our 33-36ton range of excavator compaction wheels will compact soils, asphalt, and sand quickly and effectively. Available in a drum and fingerstyle, our range is compatible with excavators of all makes and models. The heavy-duty construction of our compaction wheels ensures maximum strength and durability for the most demanding projects.

DRUM WIDTH 600 mm

ROCK BREAKER ▶

Get the job done right with our heavy-duty rock breakers. Constructed in hard-wearing steel for superior strength, each attachment is designed to quickly break through the toughest materials. With a range of sizes from 1.8 to 30 tons and a full selection of spare parts, you can trust that these attachments won't let you down when it matters most. Get your project finished with confidence

WINATTACHMENTS



EDT

**HYDRAULIC ROCK
BREAKER /
JACK HAMMER
RANGE**

	EDT200	EDT300	EDT400	EDT430	EDT450	EDT800	EDT2000	EDT3000
WEIGHT (KG)	129	155	361	450	733	1007	1893	2457
OIL FLOW (L/MIN)	20-30	25-50	40-70	50-90	60-100	80-110	130-150	150-190
TOOL DIA (MM)	45	53	68	75	85	100	135	150
IMPACT FREQ (BPM)	700-1200	600-1100	500-900	400-800	400-800	350-700	400-800	350-700
EXCAVATOR (TON)	1.2-3.0	2.5-4.5	4-7	6-9	7-14	10-15	18-26	27-35

LARGER MODELS ARE AVAILABLE ON REQUEST


**Can't find the attachment
you are looking for
contact us we will!**

Ph: 08 834 97390

enquiries@winattachments.com.au



WINATTACHMENTS



Specialists in innovation

Bringing 30 years of experience in design, engineering and manufacturing, Win Attachments is a one-stop-shop for all attachments. We understand the needs of our customers and strive to deliver user-friendly attachments that maximise your productivity and deliver true value for money.

With in-house design performed by master engineers, we can guarantee that our products are carefully crafted from the ground up. Our attachments are manufactured in our very own factory, ensuring that every product leaving our facility is fully prepared for even the most demanding challenges.

OUR ATTACHMENTS

EXCAVATOR ATTACHMENTS

WHEEL LOADER ATTACHMENTS

SKID STEER ATTACHMENTS

BACKHOE LOADER ATTACHMENTS

TELEHANDLER ATTACHMENTS

MATERIAL HANDLERS

SPARE PARTS

WINATTACHMENTS

ADD: 14 DUNCAN RD, DRY CREEK, SA 5094

TEL: (08) 8349 7390

WWW.WINATTACHMENTS.COM.AU